



[DCA HOME](#) | [ABOUT DCA](#) | [DCA PROGRAMS](#) | [CONTACT DCA](#)

[BCIS Home](#) | [Log In](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [FBC Staff](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

FL #	FL5584
Application Type	New
Code Version	2004
Application Status	Approved
Comments	
Archived	<input type="checkbox"/>
Product Manufacturer	Concrecel International, Inc.
Address/Phone/Email	1431 S.W. 30th Avenue Deerfield Beach, FL 33442 (954) 325-2684 h.gembala@weisswoolrich.com
Authorized Signature	James L. Buckner, P.E. @ C-Buck, Inc. jimmy@cbuckinc.net
Technical Representative	
Address/Phone/Email	
Quality Assurance Representative	
Address/Phone/Email	
Category	Roofing
Subcategory	Roofing Insulation
Compliance Method	Certification Mark or Listing
Certification Agency	Miami-Dade BCCO - CER
Referenced Standard and Year (of Standard)	Standard ASTM C 869, C 796
	Year 1997
Equivalence of Product Standards Certified By	
Sections from the Code	1917
Product Approval Method	Method 1 Option A
Date Submitted	10/18/2005
Date Validated	10/18/2005

Date Pending FBC Approval 11/16/2005
 Date Approved 12/06/2005

Summary of Products		
FL #	Model, Number or Name	Description
5584.1	1- Concrecel LWIC	Cellular Lightweight Insulating Concrete
Limits of Use (See Other) Approved for use in HVHZ: Approved for use outside HVHZ: Impact Resistant: Design Pressure: +/- Other: Maximum Design Uplift Pressure = -465 psf. Install the product per NOA 02-0122.08 including General Limitations. This product is approved for use in the High Velocity Hurricane Zone.		Certification Agency Certificate Installation Instructions PTID_5584_1_Concrecel_LightweightInsulatingConcrete_NOA_02012208.pdf Verified By:

[Back](#) [Next](#)

DCA Administration

Department of Community Affairs
Florida Building Code Online
Codes and Standards

2555 Shumard Oak Boulevard
 Tallahassee, Florida 32399-2100

(850) 487-1824, Suncom 277-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

